

### Claims

1. A nail buffing device, comprising:
  - 2 a foam body having three sides;
  - at least one abrasive layer on one of said three sides;
  - 4 at least one buffing layer on one of said three sides;
  - and wherein said foam body is pliable to bend around a nail being filed
  - 6 or polished.
2. The nail buffing device of claim 1, wherein said foam body has a  
2 length between 2.5 inches to 4.5 inches.
3. The nail buffing device of claim 1 wherein said foam body has a length  
2 between 3.0 inches to 4.0 inches.
4. The nail buffing device of claim 1 wherein said foam body has a length  
2 between 3.2 inches and 3.8 inches.

Inventor: Guy Jancik  
Title: "Nail Buffer and Polisher Having Pliable Body"  
Page: 16

5. The nail buffing device of claim 1, further comprising:

2 a foam intermediate layer between one side of said foam body and one  
abrasive layer.

6. The nail buffing device of claim 1, further comprising:

2 a foam intermediate layer between one side of said foam body and one  
polishing layer.

7. The nail buffing device of claim 1, wherein each said side of said foam

2 body has a width.

8. The nail buffing device of claim 7, wherein said width ranges between

2 0.75 inches and 2.0 inches.

9. The nail buffing device of claim 1, wherein said buffing device has a

2 triangular cross-section, and further comprises a length and a width of each

side of said device, and wherein said length is approximately equal to the

4 circumference of the device.

10. A nail buffing device, comprising:  
2 a foam body having three sides;  
an intermediate foam layer on each of said three sides;  
4 at least one abrasive layer on said intermediate foam layer on one of  
said three sides;  
6 at least one buffing layer said intermediate foam layer on one of said  
three sides;  
8 and wherein said foam body is pliable to bend around a nail being filed  
or polished.

11. The nail buffing device of claim 10, further comprising an internal  
2 support member positioned longitudinally within said foam body to stiffen  
said foam body.

12. The nail buffing device of claim 10, wherein said foam body has a  
2 length between 2.5 inches to 4.5 inches.

13. The nail buffing device of claim 10 wherein said foam body has a  
2 length between 3.0 inches to 4.0 inches.

14. The nail buffing device of claim 10 wherein said foam body has a  
2 length between 3.2 inches and 3.8 inches.

15. The nail buffing device of claim 10, wherein each said side of said  
2 foam body has a width.

16. The nail buffing device of claim 15, wherein said width is between  
2 0.75 inches and 2.0 inches.

17. The nail buffing device of claim 15, wherein said width is between 1.0  
2 inches and 1.25 inches.

18. A method of manufacturing a nail buffing device, comprising the steps  
2 of:

providing an elongated foam body having a triangular cross-section  
4 having three sides; and

applying an abrasive treatment surface to at least one of said three  
6 sides.

19. The method of manufacturing a nail buffing device of claim 18, further  
2 comprising the steps of:  
applying a polishing treatment surface to at least one of said three  
4 sides.

20. The method of manufacturing a nail buffing device of claim 19, further  
2 comprising the steps of:  
providing an intermediate foam layer between said foam body and said  
4 treatment surface.